

Notice of Allowability

Application No.

10/053,713

Examiner

Michael C. Astorino

Applicant(s)

BANAL ET AL.

Art Unit

3736

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to response filed 3/8/2005.
2. ☒ The allowed claim(s) is/are 13-22.
3. ☒ The drawings filed on 1/24/2002 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Thomas Perkins on May 25, 2005.

The application has been amended as follows:

Claim 13. In line 2 and line 5, replace "has been discharged" with --has been postoperatively discharged--;

Claim 16. In line 2 and line 5, replace "has been discharged" with --has been postoperatively discharged--;

Claim 19. In line 2 and lines 5-6, replace "has been discharged" with --has been postoperatively discharged--; in line 7, replace "suitable for detecting" with --indicating--; and in line 21, replace, "an alarm for generating" with --an alarm that generates--.

Claim 21. In line 2 and line 5, replace "has been discharged" with --has been postoperatively discharged--; in lines 8-9, replace "suitable for detecting" with --indicating--; and in line 19, replace, "an alarm for generating" with --an alarm that generates--.

2. The following is an examiner's statement of reasons for allowance:

3. Iliff discloses a system and method for providing computerized, knowledge-based medical diagnostic and treatment advice. The medical advice is provided to the general public over networks, such as a telephone network or a computer network. The invention also includes a stand-alone embodiment that may utilize occasional connectivity to a central computer by use of a network, such as the Internet. Two new authoring languages, interactive voice response and speech recognition are used to enable expert and general practitioner knowledge to be encoded for access by the public. "Meta" functions for time-density analysis of a number of factors regarding the number of medical complaints per unit of time are an integral part of the system. A re-enter feature monitors the user's changing condition over time. A symptom severity analysis helps to respond to the changing conditions. System sensitivity factors may be changed at a global level or other levels to adjust the system advice as necessary.

4. Rappaport disclose a method of the present invention involves the steps of providing the apparatus and engaging in a dialogue of questions related to both the first and second factors.

5. However, with respect to the method claims the wherein the postoperatively discharged patient submitting a written questionnaire automatically evaluated for pneumonia, secondary bleeding, a wound healing problem, a pulmonary complication, a urinary tract infection or a thrombosis is allowable.

6. As for the system claims, the evaluation device that evaluates the written questionnaire for pneumonia, secondary bleeding, a wound healing problem, a pulmonary complication, a urinary tract infection or a thrombosis having an alarm signal in response to a evaluation that the patient is critical, along with the remaining claim language makes the claim allowable.

Art Unit: 3736


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael C. Astorino whose telephone number is 571-272-4723. The examiner can normally be reached on Monday-Friday, 8:30AM to 3:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on 571-272-4726. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MA
May 25, 2005


MAX F. HINDENBURG
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700